

10801294

Refine Search

Search Results -

| Terms | Documents |
|----------------------------------|-----------|
| L1 and (glass ceramic indicator) | 0 |

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L7

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, June 21, 2005 [Printable Copy](#) [Create Case](#)

Set Name **Query**
 side by side

Hit Count **Set Name**
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

| | | | |
|-----------|---|------|-----------|
| <u>L7</u> | L1 and (glass ceramic indicator) | 0 | <u>L7</u> |
| <u>L6</u> | L1 and (multilayer\$2 glass ceramic) | 1 | <u>L6</u> |
| <u>L5</u> | L1 and (plurality glass ceramic\$1) | 2 | <u>L5</u> |
| <u>L4</u> | L3 and (temperature or thermal or opaque) | 225 | <u>L4</u> |
| <u>L3</u> | L1 and (glass ceramic) | 233 | <u>L3</u> |
| <u>L2</u> | L1 and (metal oxide layer next to) | 0 | <u>L2</u> |
| <u>L1</u> | 428/701 | 2468 | <u>L1</u> |

END OF SEARCH HISTORY

Freeform Search

| | |
|---|--|
| Database: | US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins |
| Term: | glass ceramic indicator or glass ceramic detector |
| Display: | <input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/> |
| Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image | |

Search History

DATE: Tuesday, June 21, 2005
 [Printable Copy](#)
 [Create Case](#)

| <u>Set</u> <u>Name</u> | <u>Query</u> | <u>Hit</u> <u>Count</u> | <u>Set</u> <u>Name</u> result set |
|---------------------------|--|----------------------------|---|
| side by side | | | |
| | DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ | | |
| <u>L9</u> | glass ceramic indicator or glass ceramic detector | 3 | <u>L9</u> |
| | DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ | | |
| <u>L8</u> | L1 and (glass ceramic indicator or glass ceramic detector) | 0 | <u>L8</u> |
| <u>L7</u> | L6 and (glass ceramic) | 44 | <u>L7</u> |
| <u>L6</u> | L1 and (temperature indicator or thermal indicator or transparent opaque or optical change or color change) | 1721 | <u>L6</u> |
| <u>L5</u> | L1 and (temperature indicator or thermal indicator or otransparent opaque or optical change or color change) | 1674 | <u>L5</u> |
| <u>L4</u> | L1 and (temperature dependent composition) | 0 | <u>L4</u> |
| <u>L3</u> | L2 and (color composition) | 2 | <u>L3</u> |
| <u>L2</u> | L1 and (glass ceramic) | 371 | <u>L2</u> |
| <u>L1</u> | (422/55,57,58,61,82.05,82.09,82.12,83;428/701)![CCLS] | 10067 | <u>L1</u> |

END OF SEARCH HISTORY

L1 different crystal composition30 L1

END OF SEARCH HISTORY

Freeform Search

Page 1 of 2

Freeform Search

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Term:

L12 and (temperature or thermal or heat or
 cryogenic or cold or infrared or IR)

Display:

10

Documents in Display Format:

-

Starting with Number

60

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Tuesday, June 21, 2005 [Printable Copy](#) [Create Case](#)

| <u>Set</u> <u>Name</u> side by side | <u>Query</u> | <u>Hit</u> <u>Count</u> | <u>Set</u> <u>Name</u> result set |
|--|---|----------------------------|---|
| | DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ | | |
| <u>L13</u> | L12 and (temperature or thermal or heat or cryogenic or cold or infrared or IR) | 104 | <u>L13</u> |
| <u>L12</u> | L11 and (transparent glass ceramic) | 108 | <u>L12</u> |
| <u>L11</u> | glass ceramic same opaque | 855 | <u>L11</u> |
| <u>L10</u> | temperature sensi\$4 glass ceramic or heat sensi\$4 glass ceramic or IR sensi\$4 glass ceramic | 0 | <u>L10</u> |
| <u>L9</u> | temperature sensing glass ceramic or temperature detecting glass ceramic | 0 | <u>L9</u> |